



EC CERTIFICATE

Notified Body No. 0843

CPR Notified Body, UL International (UK) Ltd., Kingsland Business Park, Unit 1-3 Horizon, Wade Rd, Basingstoke RG24 8AH, United Kingdom

Certificate of constancy of performance 0843-CPR-0497

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Protecta Interior Paint FR-1 Wall System Internal Partition Kits For Use As Non-Loadbearing Walls

The Protecta Interior Paint FR-1 Wall System comprises a stud and perimeter framework of 38 x 63 mm C16 European Redwood (EN 1912: 2004), faced on both sides with 1 layer of pre-coated, 12 mm Class E1 particleboard (EN 312: 2010) with a density of 650 kg/m³ min. The studs are positioned at 600 mm centres, with noggins at a height of 2400 mm. The boards are fixed to the studs, perimeter frame and noggins 15 mm from the board edges and at 200 mm centres. The particleboard faces of the partition are pre-coated on the outward facing side with 220 microns (WFT)/ 305g/m² dry weight of Protecta Interior Paint FR-1, applied by roller. The edges of the partition are sealed with a 5 mm bead of Protect FR Acrylic sealant.

placed on the market under the name or trade mark of

Polyseam Ltd
15. St. Andrews Road, Huddersfield, West Yorkshire, HD1 6SB, UK

and produced in the manufacturing plant(s)

Polyseam Ltd
15. St. Andrews Road, Huddersfield, West Yorkshire, HD1 6SB, UK

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the

ETA 17/0228, issued on 22/05/2019

and

ETAG 003, edition 1998, amended April 2012, used as EAD

under system AVCP 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 25th May 2018 and will remain valid as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

25th May 2019

Mr. Chris Miles, Head of Notified Body

UL International (UK) Ltd
Kingsland Business Park, Unit 1-3 Horizon, Wade Rd,
Basingstoke RG24 8AH, United Kingdom

27-CP-F0855 Issue: 3.0



EC CERTIFICATE

Notified Body No. 0843

CPR Notified Body, UL International (UK) Ltd., Kingsland Business Park, Unit 1-3 Horizon,
Wade Rd, Basingstoke RG24 8AH, United Kingdom

Annex: Detailed information sheet

Certificate Number: 0843-CPR-0497

Product/Device description: Protecta Interior Paint FR-1 Wall System

Applicant designation: Polyseam Ltd, 15. St. Andrews Road, Huddersfield, West Yorkshire, HD1 6SB, UK

Product Information

Protecta Interior Paint FR-1 Wall System

The referenced product complies with:

A – All the relevant requirements as per ETA 17/0228

ETA issue dates:

ETA 17/0228, issued 22/05/2019

25th May 2019

Mr. Chris Miles, Head of Notified Body