

THE MOST COMPLETE RANGE OF GAS NAILER FASTENERS



















COMPATIBLE WITH ALL GAS NAILERS





ABT Pipe Clamp





Advantages:

- With only 3 sizes covers 80% of pipe sizes.
- Fast installation.
- Can also being installed in channels.
- Compatible with Trak-It®, Würth, Spit and others gas nailers.

Applications:













Ready to clip.







Installation ready.





Data					Packaging				
Denomination	Ø Pipe				Вох	Packing Box		Code	
	Metric	Copper	Iron	Plastic	(units)	(units)	Gray	Black	White
ABT-14/18	16	14-15-18	1/4"	16	100	600	918ABT	9418ABT	9118ABT
ABT-20/25	20-25	22	1/2"	20-25	50	450	925ABT	9425ABT	9125ABT
ABT-25/32	32	28	3/4"	32	50	300	932ABT	9432ABT	9132ABT
ABT-35/42	40	35-42	1"-1/4"	40-42	25	150	942ABT	9442ABT	9142ABT



Cable Tie Fasteners















BD



Advantages:

- Compatible with Trak-It®, Würth, Spit and others gas nailers.
- 4 way entry.
- Shape self centers the pipe.

- Electric installation with cable ties.
- Halogen free.
- ROHS compliance.
- BM: metal version with 6 mm hole for mounting screw.







Fix on the nailer nose.



Shot.







Basebrid installed: insert the cable tie and fix.



Installation ready.





Fix on the nailer nose.



Shot.



9 sec.



Installation ready.





Fix on the nailer nose.





Installation ready.

Data		Packaging				
Denomination	Colour	Вох	Packing Box	Code		
		(units)	(units)			
В	Black	100	900	94TBB		
В	Grey	500¹	-	948286TBB		
BL	Black	100	900	94TBBL		
BL	Grey	100 ²	900	9TBBL		
BD	Black	100	600	9TBBD		
BM	-	100	900	9ТВМ		

⁽¹⁾ Box with 500 nylon ties 4,8x286 included. ⁽²⁾ Box with nylon ties 4,8x280 included.



UT Pipe Ring Clip



Advantages:

- Fast installation. Slot for side alignement.
- Line marking. Can also being installed in channels.
- Compatible with Trak-It®, Würth, Spit and others gas nailers.
 • Halogen free.









Applications:



Fix on the nailer nose.





Ready to clip.



Installation ready.

Data	Packaging					
Denomination	Вох	Packing Box	Code			
	(units)	(units)				
UT 16	100	900	916UT			
UT 20	100	900	920UT			
UT 25	100	600	925UT			
UT 32	100	450	932UT			
UT 40	100	300	940UT			



FPD Double Conduit Clip



PATENTED

Advantages:

- Multi-diameter: each clip fix 3 pipe diameters.
- Can be fixed with any gas nailers.
- The clip fix in the pipe.
- · Halogen free.

Applications:

- Fasten the conduit clip on the pipe.





• Shot on the clip.

Installation ready.



Data				Packaging			
Denomination		Ø Pipe		Pipe Sizes	Вох	Packing Box	Code
	Copper	Iron	Plastic		(units)	(units)	
FPD-16	18	3/8"	16	16-19	100	900	916FPD
FPD-20	22	1/2"	20	20-23	50	450	920FPD
FPD-25	28	3/4"	25	25-28	50	450	925FPD

FP Conduit Clip



Advantages:

- Can be fixed with any gas nailers.
- Halogen free.

Applications:

- Fasten the conduit clip on the pipe.
- Shot on the clip.
- · Installation ready.





	Data				Packaging			
Denomination	Ø Pipe				Вох	Packing Box	Code	
	Metric	Iron	Copper	Plastic	(units)	(units)		
FP-16	16	-	-	16	100	900	916FP	
FP-18	-	3/8"	18	-	100	900	918FP	
FP-20	20	-	-	20	100	600	920FP	
FP-22	-	1/2"	22	-	100	600	922FP	
FP-25	25	_	-	25	100	600	925FP	
FP-28	-	3/4"	28	-	100	600	928FP	
FP-32	32	-	-	32	50	450	932FP	



FT Conduit Clip









Advantages:

- The metal clip fix on the pipe.
- Can be fixed with any gas nailers.

Applications:







Fasten the conduit clip on the pipe.

Shot on the clip.

Installation ready.

Data					Packaging			
Denomination		Ø P	ipe	Вох	Packing Box	Code		
	Metric	Copper	Iron	Plastic	(units)	(units)		
FT-6	-	6	-	-	100	4000	96FT	
FT-8	-	8	-	-	100	4000	98FT	
FT-10	-	10	-	-	100	1800	910FT	
FT-16	16	-	-	16	100	1800	916FT	
FT-18	-	18	3/8"	-	100	900	918FT	
FT-20	20	-	-	20	100	900	920FT	
FT-22	-	22	1/2"	-	100	900	922FT	
FT-25	25	-	1/8"	25	100	900	925FT	
FT-28	-	28	-	-	100	900	928FT	
FT-32	32	-	-	32	100	900	932FT	

APW Metal Washer







PATENTED

Advantages:

- The washer clipe on the gas nailer.
- Available in diameter 13 mm and diameter 25 mm.
- Compatible with Trak-It®, Würth, Spit and others gas nailers.

Applications:







2 sec.



Shot.



Data	Packaging					
Denomination	Вох	Packing Box	Code			
	(units)	(units)				
13	200	3.600	913APW			
25	200	3.600	925APW			



WSC/WDC Wire Conduit



Advantages:

- Compatible with Trak-It®, Würth, Spit and others gas nailers.
- Can also be fixed with screw and plug.
- RoHS compliance.
- Halogen free.



Applications:

 Installations of communication and signal cables on

intermediate ceilings or partition waells.









Data		Packaging			
Denomination	Colour	Colour		Code	
		(units)	(units)		
WSC	Grey	100	900	9WSC	
WDC	Grey	100	900	9WDC	

TRIPLAN Wire Conduit





Advantages:

- Flat cable.
- 2 types: 6x17 and 9x25.
- Compatible with Trak-It®, Würth, Spit and others gas nailers.



Applications:



Fix on the nailer nose.



Shot.



3 sec.

Installation ready.

Data	Packaging					
Denomination	Вох	Packing Box	Code			
	(units)	(units)				
6x17	100	900	9TPC			
9x25	100	900	9TPLC			



AV M6 and M8 Rod Hanger



AVM6

Advantages:

- Adjustable.
 Compatible with Trak-It®, Würth, Spit and others gas nailers.





Applications M6:



Fix on the nailer nose.



Shot.



10 sec.

12 sec.





Fix on the nailer nose.





Second shot.



M8 Standard



Ready to install the rod.



Installation ready.


Data		Packaging		
Denomination	Вох	Packing Box	Code	
	(units)	(units)		
TV4	100	600	9TV4	
TV5	100	600	9TV5	
TV6	100	600	9TV6	
TV8	100	450	9TV8	
TVS8	100	450	9TVS8	



AR M6 and M8 Stud Accessory



ARM6









Advantages:

- Screw with high pull out values.
- Requiered 2 shots in M8.
- Line marking.
- Compatible with Trak-It®, Würth, Spit and others gas nailers.



Ref.	Thread	Rod Lenght	Recommended Resistance
9TR6	M6	6,5	30 Kg
9TR8	M8	10/16	50 Kg

Applications M6:







Shot





Instal



Installation ready.

Applications M8:



Fix on the nailer nose.



First shot.





Second shot.



Instal



Installation ready.

	Data	Packaging			
Diameter	Size	Denomination	Вох	Packing Box	Code
			(units)	(units)	
M6	M6x6,5	TR6	100	900	9TR6
M8	M8x10	TR8C	100	900	9TR8C
IVIO	M8x16	TR8L	100	900	9TR8L



AAT Ceiling Hanger



Advantages:

- Hole 7 mm.
 Compatible with Trak-It®, Würth, Spit and others gas nailers.

Applications:

• Suspended ceilings.





Data	Packaging		
Denomination	Вох	Packing Box	Code
	(units)	(units)	
AA	100	900	9AAT

AG Gas Nailer





Apolo Fijaciones y Herramientas, S.L.

Polígono Industrial Pla de la Bruguera Garrotxa, naves 10-22 08211 Castellar del Vallès (Barcelona) - Spain

Tel. +34 93 747 33 33 · Fax +34 93 747 33 37 E-mail: cial@apolo.es

Administración

Tel. +34 93 747 33 34 · Fax +34 93 747 30 02

www.apolo.es

